



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
1	The Associated Cement Companies Ltd., Bombay	Wadi Cement Works	ESP Inlet & Outlet	2000 X 2000	300	Isolation	100	2
2	Cimmco Ltd., New Delhi	Jaypee Rewa Cement, Rewa	Raw mill Grinding Section	3000 X 4000	350	Isolation	99.95	1
3	Cimmco Ltd., New Delhi	Jaypee Rewa Cement, Rewa	Raw mill Grinding Section	2750 X 3000	350	Isolation	99.95	1
4	Malabar Cements Ltd.,	Malabar Cements Ltd.,	Raw mill Grinding Section		430	Isolation	100	1
5	Cement Corporation of India Ltd.,	CCI, Adilabad Works	ESP Inlet	2000 X 3000	350	Isolation	100	1
6	Cement Corporation of India Ltd.,	CCI, Adilabad Works	ESP Inlet	2500 Dia	350	Isolation	100	1
7	Cement Corporation of India Ltd.,	CCI, Adilabad Works	ID Fan Outlet	1500 Dia	350	Isolation	100	1
8	Cement Corporation of India Ltd.,	CCI, Adilabad Works	ESP Inlet	1500 Dia	350	Isolation	100	1
9	Fuller KCP Ltd.,	Madras Cements	To Isolate Fan	1900 Dia	450	ON - OFF	99.95	1
10	Cimmco Ltd.,	Kalyanpur Cements Ltd.,	Tertiary Air duct Damper	1900 Dia	1100	Isolation	99.95	1
11	KCP Ltd.,	Ramakrishna Cements	Preheater fan to raw mill	2000 X 1500	316	Isolation	99.95	1
12	KCP Ltd.,	Ramakrishna Cements	Preheater fan to dust collector	2000 X 1900	260	Isolation	99.95	1
13	Vinay Cements	Vinay Cements		800 Dia	600	Isolation	100	1
14	Cimmco Ltd.,	Kalyanpur Cements Ltd.,	Infront of HAG	2000 Dia	600	Isolation	99.9	1
15	Cimmco Ltd.,	Kalyanpur Cements	Infront of ESP Raw mill	2000 Dia	90	Isolation	100	1
16	Cimmco Ltd.,	Kalyanpur Cements	Infront of ESP Raw mill	2150 Dia	90	Isolation	100	1



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
17	Cimmco Ltd.,	Kalyanpur Cements	Infront of ESP Raw mill	2500 Dia	150	Isolation	100	1
18	Cimmco Ltd.,	Kalyanpur Cements	Infront of twin cyclone	740 X 1040	312	Isolation	100	2
19	Cimmco Ltd.,	Kalyanpur Cements	Infront of HAG	1900 Dia	750	Isolation	99.9	1
20	Cimmco Ltd.,	Kalyanpur Cements	Infront of HAG	1050 Dia	485	Isolation	99.9	1
21	Cimmco Ltd.,	Kalyanpur Cements	Infront of HAG Fan	1000 Dia	90	Isolation	99.9	2
22	Maratha Cements Ltd.,	Maratha Cements Limited	Kiln gases with raw meal dust	2250 X 2250	280	Shut off	99.9	1
23	Maratha Cements Ltd.,	Maratha Cements Limited	Kiln gases with raw meal dust	2750 X 2750	170	Shut off	99.9	1
24	Fuller India Ltd.,	My Home Cements Limited	Raw mill inlet duct	Dia 2000	40	ON - OFF	99.8	1
25	Fuller India Ltd.,	My Home Cements Limited	Before Recirculation duct	Dia 2000	40	ON - OFF	99.8	1
26	Satia Paper Mills Ltd.,	Satia Paper Mills	ESP By pass	1050 X 744	250	Shut off	99.5	1
27	Satia Paper Mills Ltd.,	Satia Paper Mills	ID Fan Inlet	1050 X 1050	250	Shut off	99.5	1
28	Satia Paper Mills Ltd.,	Satia Paper Mills	ID Fan Outlet	900 X 1250	250	Shut off	99.5	1
29	FFE Minerals India (P) Ltd.,	Jindal Vijayanagar Steels Ltd.,	Coke oven feeder flue duct	958 X 1354	100	Regulating	95	136
30	Enmas Andritz Private Ltd.,	Grasim Industries Limited	ESP to Existing stack	900 X 1000	250	Shut off	99.5	1
31	Reitz India Ltd.,	Jindal Steel & Power Ltd., (Unit - II)		4410 X 1000	120	Shut off	99.5	6
32	FFE Minerals India (P) Ltd.,	Jindal Vijayanagar Steels Ltd.,	Coke oven feeder flue duct	958 X 1354	100	Regulating	95	136
33	Gebr. Pfeiffer India Limited		Hot gas to Raw mill	2000 X 2000	400	Shut off	99.9	1
			Isolation raw mill	Dia 2500	150	Shut off	99.9	1
34	FFE Minerals India (P) Ltd.,	Jindal Vijayanagar Steels Ltd.,	Coke oven feeder flue duct	958 X 1354	100	Regulating	95	



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
35	Loesche India Pvt. Ltd.,	Grasim - Aditya Cement II	Mill Fan Inlet	Dia 3600	150	Shut off	99.5	4
			Bag house fan Inlet	Dia 4100	325	Shut off	99.5	2
			Filter Fan Inlet	Dia 2200	110	Shut off	99.5	1
			Booster fan Inlet	Dia 2200	325	Shut off	99.5	1
			Filter Fan Inlet	Dia 3400	150	Shut off	99.5	2
			Booster fan Inlet	Dia 1600	325	Shut off	99.5	2
36	Loesche India Pvt. Ltd.,	Grasim - Kotputli	Mill Fan Inlet	Dia 3600	110	Shut off	99.5	2
			Bag house fan inlet	Dia 4100	325	Shut off	99.5	2
			Filter fan Inlet	Dia 2200	110	Shut off	99.5	1
			Booster Fan Inlet	Dia 2200	325	Shut off	99.5	1
			Filter Fan Inlet	Dia 3400	110	Shut off	99.5	2
			Booster Fan Inlet	Dia 1600	325	Shut off	99.5	2
37	Loesche India Pvt. Ltd.,	Grasim - Tadipatri	Mill Fan Inlet	Dia 3600	150	Shut off	99.5	4
			Bag house fan Inlet	Dia 4100	150	Shut off	99.5	2
			Filter Fan Inlet	Dia 2500	150	Shut off	99.5	1
			Booster fan Inlet	Dia 2500	325	Shut off	99.5	1
			Filter Fan Inlet	Dia 3400	150	Shut off	99.5	4
			Booster fan Inlet	Dia 2800	325	Shut off	99.5	3



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
38	Gebr. Pfeiffer India Limited,	Dalmia Cement (Bharat) Limited, Kadapa	Raw mill fan outlet duct to Bypass duct	Dia 3600	150	ON - OFF	99.9	1
			Hot Gasses from kiln before Recirculating	Dia 2600	350	ON - OFF	99.9	1
			Before Booster Fan	Dia 2000	350	ON - OFF	99.9	1
			Hot gas from Preheater fan	Dia 1800	350	ON - OFF	99.9	1
39	Gebr. Pfeiffer India Limited,	Dalmia Cement (Bharat) Limited, Ariyalur	Before Booster Fan	Dia 2000	350	ON - OFF	99.9	1
			Hot gas from Preheater fan	Dia 1800	350	ON - OFF	99.9	1
			Raw mill Fan Outlet duct	Dia 4800	150	ON - OFF	99.9	1
			Hot Gasses from kiln before Recirculating	Dia 4400	400	ON - OFF	99.9	1
40	Andhra Cements Limited,	Andhra Cements Ltd.,	Raw mill # 1 fan 361 FN 5 outlet duct to RABH	Dia 2080	115	ON - OFF	99	1
41	Andhra Cements Limited,	Andhra Cements Ltd.,	Raw mill # 2 fan outlet to RABH duct	Dia 3000	115	ON - OFF	99	1
42	Andhra Cements Limited,	Andhra Cements Ltd.,	Raw mill # 2 Hot air duct to vertical roller Mill	Dia 2200	450	ON - OFF	99	1
43	Andhra Cements Limited,	Andhra Cements Ltd.,	Coal mill No.1 Hot air Intake duct	Dia 930	385	ON - OFF	99	1
44	FFE Minerals India (P) Ltd.,	Jindal Vijayanagar Steels Ltd.,	Coke oven feeder flue duct	958 X 1354	1200	Regulating	95	168
45	Ramsarp Lohh Udyog Ltd.,	Ramsarp Lohh Udyog Ltd.,	Chimney waste gas	Ø 1000	250	Shut off	99.5	1
46	Humboldt Wedag India Pvt. Ltd.,	ACC, Jordan		3800 X 3350	270	Shut off	99.5	1
47	Humboldt Wedag India Pvt. Ltd.,	ACC, Jordan		Ø 3150	270	Shut off	99.5	1
48	M/s.Enmas GB Power Systems	M/s.Dalkia Utilities Services		1370 X 1250	50	Shut off	99.9	2
				1290 X 2490	600	Shut off	99.9	1
				1148 X 1238	165	Shut off	99.9	2
				1588 X 838	165	Shut off	99.9	2
				1038 X 1038	165	Shut off	99.9	1



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
49	Loesche India Pvt. Ltd.,	ABG Cements, Gujarat	PH to Fan Mill	Ø 5050	350	Shut off	99.95	1
50	Loesche India Pvt. Ltd.,	KJS Cements, M.P	PH to Fan Mill	Ø 3400	350	Shut off	99.95	1
			HAG Outlet	2850 X 2550	450	Shut off	99.95	1
51	Transparent Energy System Pvt.Ltd	Digvijay Cements	Bypass Damper for CC Boiler	Ø 2800	450			1
			Inlet Damper for PHC Boiler	Ø 3000	400			1
			Bypass Damper for PHC Boiler	Ø 2140	400			1
			Outlet Damper for PHC Boiler	2140 x 2140	400			1
			Inlet Damper for PHK Boiler	Ø 2300	400			1
			Bypass Damper for PHK Boiler	Ø 1650	400			1
			Outlet Damper for PHK Boiler	Ø 2140	300	Shut off	99.95	1
52	Humboldt Wedag India Pvt. Ltd.,	Dungsam Cements, Bhutan		1200 x 600	150	Shut off	99.95	1
53	Humboldt Wedag India Pvt. Ltd.,	Ghorahi cements, Nepal		600 x 1200	150	Shut off	99.95	1
54	Humboldt Wedag India Pvt. Ltd.,	Dungsam Cements, Bhutan	Preheater Fan to VRM	Ø 2300	400	Shut off	99.9	1
			Cooler ESP fan to VRM	Ø 1800	400	Shut off	99.9	1
			Cyclone fan pulse jet	Ø 2800	400	Shut off	99.9	1
			Cooler to twin cyclone	Ø 2000	400	Shut off	99.9	1
			Preheater Fan to Pulse Jet	Ø 1500	400	Shut off	99.9	1
55	Flsmidth Private Limited	Ultratech - NEW - SFC 3 x 6	Cooler Fan Outlet	1120 x 800	400	Shut off	99.9	1
				1250 x 800	100	Shut off	99.9	1
				710 x 710	100	Shut off	99.9	1
				1250 x 900	400	Shut off	99.9	1



SL.No	Customer	User	Application	Size in mm	Operating Temp ° C	Duty	% of Sealing Efficiency	Qty in Nos.
56	The India Cements Limited	India cements Limited	Efficiency Cyclone	Ø 1100	300	Shut off	99.9	1
57	Humboldt Wedag India Pvt. Ltd.,	Ghorahi cements, Nepal	Preheater Fan to Ball Mill	Ø 2500	350	Shut off	99.9	1
			Preheater Fan to Coal Mill	Ø 1250	350			1
			Raw mill fan to Pulse Jet	Ø 2000	200			1
58	Cethar Vessel Ltd.,	Ind - Bharat Energy	PA Fan Delivery	2750 x 2750	100	Shut off	99.9	2
			Hot PA Air Line	Ø 2700	400			6
			Tempering Air ISO	680 x 680	100			6
			FD Fan Delivery	2820 x 2820	100			2
			ESP Inlet	3300 x 3300	200			4
			ESP Outlet	2700 x 2700	200			4
			ID Fan Inlet	3800 x 3800	200			2
			ID Fan Outlet	3800 x 3800	200			2
59	M/s. Toshali Cement Pvt Ltd.,	Toshali Cements Pvt. Ltd.,	TA Duct (Main)	Ø 1400	1000	Shut off	99	1
			TA Duct (Primary)	1225 x 1225	1000	Shut off	99	1
			TA Duct (Secondary)	Ø 1400	1000	Shut off	99	1
60	M/s. Humboldt Wedag India Pvt. Ltd	Lafarge						
61	Loesche India Pvt. Ltd.,	Reliance Cement Copr. M.P.	HGG	Ø 2450	500	Shut off	99.5	1
			At cooler ESP Stack	2800 x 4000	350			1
62	Cethar Vessel Ltd.,	ARS Metals		Ø 1430	50	Shut off	99.9	2
				Ø 2016	50			2
				Ø 2664	150			2



63	Cethar Vessel Ltd.,	ARS Metals		Ø 2600	150			2
64	M/s. Loesche India Pvt Ltd	Reliance Cement Copn. U.P	HGG Outlet	Ø 1300	200	Regulating	98	2
			HGG Outlet	Ø 1500	200			2